

ДОРНИЦИ ЗА CNC МАШИНИ, БАЛАНСИРАНИ 6.5G, 15000 ОБ./МИН.

Дорник за фрези дорникови, DIN69871

Тип DIN69871.Axd-L1	D mm	цена лв.
DIN69871.A40 x 16-60	32	
DIN69871.A40 x 22-60	40	
DIN69871.A40 x 27-60	48	
DIN69871.A40 x 27-75	48	
DIN69871.A40 x 32-60	58	
DIN69871.A40 x 40-60	70	

Тип DIN69871.Axd-L1	D mm	цена лв.
DIN69871.A50 x 16-60	32	
DIN69871.A50 x 22-60	40	
DIN69871.A50 x 27-60	48	
DIN69871.A50 x 32-60	58	
DIN69871.A50 x 40-60	70	



Дорници за патронник, DIN69871


Тип DIN69871.A-NO.S-L1	цена лв.
DIN69871.A40-B12-32	
DIN69871.A40-B12-80	
DIN69871.A40-B16-26	
DIN69871.A40-B16-32	
DIN69871.A40-B16-45	

Тип DIN69871.A-NO.S-L1	цена лв.
DIN69871.A40-B18-32	
DIN69871.A40-B18-45	
DIN69871.A40-B22-32	
DIN69871.A50-B16-45	
DIN69871.A50-B18-45	
DIN69871.A50-B22-60	




Дорници WELDON, DIN69871

Тип DIN69871.A x d-L ₁	L mm	D mm	D ₁ mm	L ₂ mm	L ₃ mm	цена лв.
DIN69871.A40 x 6-50	118.4	25	44.45	18		
DIN69871.A40 x 8-50	118.4	28		18		
DIN69871.A40 x 10-50	118.4	35		20		
DIN69871.A40 x 12-50	118.4	42		22.5		
DIN69871.A40 x 14-50	118.4	44		22.5		
DIN69871.A40 x 16-63	131.4	48		24		
DIN69871.A40 x 18-63	131.4	50		24		
DIN69871.A40 x 20-63	131.4	52		25		
DIN69871.A40 x 25-100	168.4	65		24	25	
DIN69871.A40 x 32-100	168.4	72		24	28	
DIN69871.A40 x 40-120	188.4	90		30	32	
DIN69871.A50 x 6-63	164.75	25	69.85	18		
DIN69871.A50 x 8-63	164.75	28		18		
DIN69871.A50 x 10-63	164.75	35		20		
DIN69871.A50 x 12-63	164.75	42		22.5		
DIN69871.A50 x 14-63	164.75	44		22.5		
DIN69871.A50 x 16-63	164.75	48		24		
DIN69871.A50 x 18-63	164.75	50		24		
DIN69871.A50 x 20-63	164.75	52		25		
DIN69871.A50 x 25-80	181.75	65		24	25	
DIN69871.A50 x 32-100	201.75	72		24	28	
DIN69871.A50 x 40-120	221.75	90		30	32	




Дорник с вътрешен МК с лапка, DIN69871

Тип DIN69871 x MS.NO.T-L ₁	L mm	D mm	D ₁ mm	цена лв.
DIN69871.A40 x MS1-45	113.4	25	44.45	
DIN69871.A40 x MS1-50	118.4	25	44.45	
DIN69871.A40 x MS2-50	118.4	32	44.45	
DIN69871.A40 x MS2-60	128.4	32	44.45	
DIN69871.A40 x MS3-75	143.4	40	44.45	
DIN69871.A40 x MS4-95	163.4	48	44.45	
DIN69871.A50 x MS1-45	146.75	25	69.85	
DIN69871.A50 x MS2-60	161.75	32	69.85	
DIN69871.A50 x MS3-65	166.75	40	69.85	
DIN69871.A50 x MS4-95	196.75	48	69.85	
DIN69871.A50 x MS5-100	201.75	61	69.85	
DIN69871.A50 x MS5-105	206.75	61	69.85	




Дорник с вътрешен МК с резба, DIN69871

Тип DIN69871.A x MW.NO.T-L ₁	L mm	D mm	D ₁ mm	цена лв.
DIN69871.A40 x MW1-45	113.4	25	44.45	
DIN69871.A40 x MW2-60	128.4	32		
DIN69871.A40 x MW3-70	138.4	40		
DIN69871.A40 x MW3-80	148.4	40		
DIN69871.A40 x MW3-100	168.4	40		
DIN69871.A40 x MW4-90	158.4	48		
DIN69871.A40 x MW4-100	168.4	48	69.85	
DIN69871.A50 x MW1-45	146.8	25		
DIN69871.A50 x MW2-45	146.8	32		
DIN69871.A50 x MW3-60	161.8	40		
DIN69871.A50 x MW3-80	181.8	40		
DIN69871.A50 x MW4-80	181.8	48		
DIN69871.A50 x MW4-90	191.8	48		
DIN69871.A50 x MW4-120	221.8	48		
DIN69871.A50 x MW5-100	201.8	61		
DIN69871.A50 x MW5-120	221.8	61		



дорници за CNC машини, балансирани 6.5G, 15000 об./мин.

Дорници цангови, DIN69871




Тип DIN69871.A x ER-L1	D mm	D ₁ mm	цена лв.
DIN69871.A40 x ER11-80	19	44.45	
DIN69871.A40 x ER16-63	28	44.45	
DIN69871.A40 x ER16-70	28	44.45	
DIN69871.A40 x ER16-100	28	44.45	
DIN69871.A40 x ER16-120	28	44.45	
DIN69871.A40 x ER20-70	34	44.45	
DIN69871.A40 x ER20-100	34	44.45	
DIN69871.A40 x ER20-160	34	44.45	
DIN69871.A40 x ER25-60	42	44.45	
DIN69871.A40 x ER25-70	42	44.45	
DIN69871.A40 x ER25-100	42	44.45	
DIN69871.A40 x ER25-150	42	44.45	
DIN69871.A40 x ER32-70	50	44.45	
DIN69871.A40 x ER32-80	50	44.45	
DIN69871.A40 x ER32-100	50	44.45	
DIN69871.A40 x ER32-120	50	44.45	
DIN69871.A40 x ER32-150	50	44.45	
DIN69871.A40 x ER40-80	63	44.45	
DIN69871.A40 x ER40-100	63	44.45	
DIN69871.A40 x ER40-120	63	44.45	
DIN69871.A40 x ER40-150	63	44.45	

Тип DIN69871.A x ER-L1	D mm	D ₁ mm	цена лв.
DIN69871.A50 x ER16-70	28	69.85	
DIN69871.A50 x ER16-100	28	69.85	
DIN69871.A50 x ER16-160	28	69.85	
DIN69871.A50 x ER20-70	34	69.85	
DIN69871.A50 x ER20-100	34	69.85	
DIN69871.A50 x ER20-135	34	69.85	
DIN69871.A50 x ER20-160	34	69.85	
DIN69871.A50 x ER25-70	42	69.85	
DIN69871.A50 x ER25-100	42	69.85	
DIN69871.A50 x ER25-150	42	69.85	
DIN69871.A50 x ER32-80	42	69.85	
DIN69871.A50 x ER32-100	50	69.85	
DIN69871.A50 x ER32-120	50	69.85	
DIN69871.A50 x ER32-160	50	69.85	
DIN69871.A50 x ER40-80	50	69.85	
DIN69871.A50 x ER40-120	63	69.85	
DIN69871.A50 x ER40-160	63	69.85	
DIN69871.A50 x ER50-90	63	69.85	
DIN69871.A50 x ER50-120	78	69.85	
DIN69871.A50 x ER50-160	78	69.85	
DIN69871.A50 x ER50-200	78	69.85	

Дорник с патронник автоматичен самозатягащ, DIN69871

Код	L mm	D mm	d mm	цена лв.
SK40-APU08-70	70	36	0.5-8	
SK40-APU13-82	82	50	1-13	
SK40-APU16-105	105	57	3-16	
SK50-APU13-85	85	50	1-13	
SK50-APU16-90	90	57	3-16	



Дорник за фрези дорникови, BT

Тип BTxd-L1	D mm	цена лв.
BT40 x 16-45	32	
BT40 x 16-60	32	
BT40 x 16-120	32	
BT40 x 22-45	40	
BT40 x 22-60	40	
BT40 x 22-100	40	
BT40 x 22-120	40	
BT40 x 27-45	48	
BT40 x 27-60	48	
BT40 x 27-75	48	
BT40 x 27-105	48	
BT40 x 27-120	48	
BT40 x 32-45	58	
BT40 x 32-60	58	
BT40 x 32-75	58	
BT40 x 32-120	58	
BT40 x 40-60	70	
BT40 x 40-75	70	
BT40 x 50-70	90	
BT50 x 16-60	32	

Тип BTxd-L1	D mm	цена лв.
BT50 x 16-75	32	
BT50 x 16-120	32	
BT50 x 22-60	40	
BT50 x 22-75	40	
BT50 x 22-100	40	
BT50 x 22-120	40	
BT50 x 27-60	48	
BT50 x 27-105	48	
BT50 x 32-60	58	
BT50 x 32-75	58	
BT50 x 32-105	58	
BT50 x 40-60	70	
BT50 x 40-75	70	
BT50 x 40-90	70	
BT50 x 40-100	70	
BT50 x 40-105	70	
BT50 x 50-60	90	
BT50 x 50-70	90	
BT50 x 50-120	90	



Дорници за патронник, BT

Тип BT-NO.S-L1	цена лв.
BT40-B12-45	
BT40-B16-32	
BT40-B16-45	
BT40-B16-75	
BT40-B16-90	
BT40-B18-45	

Тип BT-NO.S-L1	цена лв.
BT40-B22-75	
BT50-B16-45	
BT50-B16-60	
BT50-B16-75	
BT50-B16-90	
BT50-B22-45	




дорници за CNC машини, балансирани 6.5G, 15000 об./мин.




Дорници WELDON, BT

Тип BT x d-L1	L mm	D mm	D ₁ mm	L ₂ mm	L ₃ mm	цена лв.
BT40 x 6-50	115.4	25	44.45	18		
BT40 x 6-60	125.4	25	44.45	18		
BT40 x 8-50	115.4	28	44.45	18		
BT40 x 10-63	128.4	35	44.45	20		
BT40 x 12-63	128.4	42	44.45	22.5		
BT40 x 14-63	128.4	44	44.45	22.5		
BT40 x 16-63	128.4	48	44.45	24		
BT40 x 16-70	135.4	48	44.45	24		
BT40 x 18-63	128.4	50	44.45	24		
BT40 x 20-63	128.4	52	44.45	25		
BT40 x 20-70	135.4	52	44.45	25		
BT40 x 25-90	155.4	65	44.45	24	25	
BT40 x 25-100	165.4	65	44.45	24	25	
BT40 x 32-100	165.4	72	44.45	24	28	
BT40 x 32-110	175.4	72	44.45	24	28	
BT40 x 40-120	185.4	90	44.45	30	32	
BT40 x 40-140	205.4	90	44.45	30	32	
BT50 x 6-63	164.8	25	69.85	18		
BT50 x 8-63	164.8	28	69.85	18		
BT50 x 10-63	164.8	35	69.85	20		
BT50 x 12-80	181.8	42	69.85	22.5		
BT50 x 16-80	181.8	48	69.85	24		
BT50 x 20-80	181.8	52	69.85	25		
BT50 x 25-100	201.8	65	69.85	24	25	
BT50 x 25-105	206.8	65	69.85	24	25	
BT50 x 25-150	251.8	65	69.85	24	25	
BT50 x 25-200	301.8	65	69.85	24	25	
BT50 x 32-100	201.8	72	69.85	24	28	
BT50 x 32-105	206.8	72	69.85	24	28	
BT50 x 40-115	216.8	90	69.85	30	32	
BT50 x 40-120	221.8	90	69.85	30	32	
BT50 x 50-150	251.8	100	69.85	35	35	




Дорник с вътрешен МК с лапка, BT

Тип BT x MS.NO.T-L ₁	L mm	D mm	D ₁ mm	цена лв.
BT40 x MS1-45	110.4	25	44.45	
BT40 x MS2-50	115.4	32	44.45	
BT40 x MS2-60	125.4	32	44.45	
BT40 x MS3-70	135.4	40	44.45	
BT40 x MS3-75	140.4	40	44.45	
BT40 x MS4-90	155.4	48	44.45	
BT40 x MS4-95	160.4	48	44.45	
BT40 x MS4-95	200.4	48	44.45	
BT50-MS1-45	146.8	25	69.85	
BT50-MS2-50	151.8	32	69.85	
BT50-MS2-60	161.8	32	69.85	
BT50-MS2-120	221.8	32	69.85	
BT50-MS3-65	166.8	40	69.85	
BT50-MS3-75	176.8	40	69.85	
BT50-MS3-120	221.8	40	69.85	
BT50-MS3-150	251.8	40	69.85	
BT50-MS4-95	196.8	48	69.85	
BT50-MS5-105	206.8	63	69.85	



Дорник с вътрешен МК с резба, ВТ

Тип BT x MW.NO.T-L ₁	L mm	D mm	D ₁ mm	цена лв.
BT40 x MW1-45	110.4	25	44.45	
BT40 x MW2-60	125.4	32		
BT40 x MW3-75	140.4	40		
BT40 x MW3-90	155.4	40		
BT40 x MW4-95	160.4	48		
BT40 x MW4-100	165.4	48		
BT50 x MW1-45	146.8	25	69.85	
BT50 x MW2-45	146.8	32		
BT50 x MW2-60	161.8	32		
BT50 x MW3-60	161.8	40		
BT50 x MW3-75	176.8	40		
BT50 x MW4-80	181.8	48		
BT50 x MW4-100	201.8	48		
BT50 x MW5-100	201.8	63		
BT50 x MW5-120	221.8	63		



Дорници цангови, ВТ


Тип BT x ER-L1	D mm	D ₁ mm	цена лв.
BT40 x ER16-70	28	44.45	
BT40 x ER20-70	34	44.45	
BT40 x ER20-100	34	44.45	
BT40 x ER20-150	34	44.45	
BT40 x ER25-60	42	44.45	
BT40 x ER25-70	42	44.45	
BT40 x ER25-90	42	44.45	
BT40 x ER25-100	42	44.45	
BT40 x ER25-150	42	44.45	
BT40 x ER32-70	50	44.45	
BT40 x ER32-100	50	44.45	
BT40 x ER32-150	50	44.45	
BT40 x ER40-70	63	44.45	
BT40 x ER40-80	63	44.45	
BT40 x ER40-120	63	44.45	
BT40 x ER40-150	63	44.45	
BT50 x ER16-70	28	69.85	
BT50 x ER16-90	28	69.85	
BT50 x ER16-135	28	69.85	

Тип BT x ER-L1	D mm	D ₁ mm	цена лв.
BT50 x ER20-70	34	69.85	
BT50 x ER20-90	34	69.85	
BT50 x ER20-135	34	69.85	
BT50 x ER20-150	34	69.85	
BT50 x ER20-165	34	69.85	
BT50 x ER25-70	42	69.85	
BT50 x ER25-135	42	69.85	
BT50 x ER25-165	42	69.85	
BT50 x ER32-70	50	69.85	
BT50 x ER32-80	50	69.85	
BT50 x ER32-100	50	69.85	
BT50 x ER32-120	50	69.85	
BT50 x ER40-80	63	69.85	
BT50 x ER40-100	63	69.85	
BT50 x ER40-120	63	69.85	
BT50 x ER40-135	63	69.85	
BT50 x ER50-90	78	69.85	
BT50 x ER50-120	78	69.85	



Дорник с патронник автоматичен самозатягащ, ВТ

Код	L mm	D mm	d mm	цена лв.
BT30-APU08-80	80	36	0.5-8	
BT30-APU13-100	100	50	1-13	
BT30-APU16-110	110	57	3-16	
BT40-APU08-85	85	36	0.5-8	
BT40-APU13-100	100	50	1-13	
BT40-APU16-105	105	57	3-16	
BT50-APU13-100	100	50	1-13	
BT50-APU16-110	110	57	3-16	




дорници за CNC машини, балансирани 6.5G, 15000 об./мин.

Опъвачи за дорници

№	D mm	D ₁ mm	D ₂ mm	M	L mm	L ₁ mm	L ₂ mm	H mm	H ₁ mm	цена лв.
1	13	8	12	M12	44	24	19	4	3	
2	17	14	19	M16	54	26	20	4	4	
3	21	17	23	M20	65	30	23	5	5	
4	25	21	28	M24	74	34	25	6	7	



Опъвачи за дорници



№	D mm	D ₁ mm	D ₂ mm	M	L mm	L ₁ mm	L ₂ mm	цена лв.
1	13	8	13	M12	44	24	19	
2	17	14	19	M16	54	26	20	
3	21	17	23	M20	65	30	23	
4	25	21	28	M24	74	34	25	


Опъвачи за дорници

№	D mm	D ₁ mm	D ₂ mm	M	L mm	L ₁ mm	L ₂ mm	H mm	H ₁ mm	θ	цена лв.
1	12.5	7	11	M12	43	23	18	5	2.5	30° 45°	
2	17	10	15	M16	60	35	28	6	3		
3	21	14	19	M20	70	40	31	8	4		
4	25	17	23	M24	85	45	35	10	5		




Опъвачи за дорници

№	D mm	D ₁ mm	D ₂ mm	M	L mm	L ₁ mm	L ₂ mm	H mm	H ₁ mm	цена лв.
1	12.5	8	12	M12	43	23.4	18.4	5	3	
2	12.5	11	15	M12	44	24	19	5	3	
3	17	14	19	M16	54	29	23	7	3	
4	21	17	23	M20	60	30	23	7	4	
5	25	21	28	M24	74	34	25	7	5	
6	31	27	36	M30	98	48	36	11	7	




Опъвачи за дорници

№	D mm	D ₁ mm	D ₂ mm	M	L mm	L ₁ mm	L ₂ mm	H mm	H ₁ mm	цена лв.
1	17	9.3	13.3	M12	27	11.8	8.1	2.7	1.2	
2	21	12.95	18.95	M16	44.5	16.4	11.15	3.25	1.75	
3	13	16.3	24.05	M20	56	20.95	14.85	4.25	2.25	
4	25	19.6	29.1	M24	65.5	25.55	17.95	5.25	2.75	




Втулка преходна от МК към цилиндричен захват

МК №	d mm	D mm	L mm	цена лв.
МК1	2.24-8.0	12.31	67	
МК2	4.75-12	18.06	80	
МК3	11.5-18	24.15	80	
МК4	16-25	31.66	90	
МК5	19-30	44.7	160.5	




Втулка преходна с лапка

MS.NO.S ME.NO.S	MS.NO.T	L mm	L ₁ mm	D mm	d mm	цена лв.
MS2	1	60	56	17.780	12.065	
MS3	2	70	66	23.825	17.780	
MS4	3	70	63.5	31.267	23.825	
MS5	2	77	70.5	44.399	17.780	
MS5	3	77	70.5	44.399	23.825	
MS5	4	77	70.5	44.399	31.267	
MS6	3	110	103.5	63.348	23.825	
MS6	4	110	103.5	63.348	31.267	
MS6	5	110	103.5	63.348	44.399	



Втулка преходна

MS.NO.S ME.NO.S	MS.NO.T	L mm	L ₁ mm	D mm	d mm	цена лв.
MS2	1	60	56	17.780	12.065	
MS3	2	70	66	23.825	17.780	
MS4	3	70	63.5	31.267	23.825	
MS5	2	77	70.5	44.399	17.780	
MS5	3	77	70.5	44.399	23.825	
MS5	4	77	70.5	44.399	31.267	
MS6	3	110	103.5	63.348	23.825	
MS6	4	110	103.5	63.348	31.267	
MS6	5	110	103.5	63.348	44.399	



Цанги серия "ER"

Тип	d H7	D	D ₁	D ₂	L	L ₁	L ₂	L ₃	цена лв.
ER8	≥ 1.0 ~ 5.0	8	8.45	6.5	13.5	2.98	1.5	1.2	
ER11	≥ 1.0 ~ 7.0	11	11.5	9.5	18.0	3.8	2.5	2.0	
ER16	≥ 1.0 ~ 2.5	16	17	13.8	27.5	6.26	4.0	2.7	
ER16	> 2.5 ~ 10.0	16	17	13.8	27.5	6.26	4.0	2.7	
ER20	≥ 1.0 ~ 2.5	20	21	17.4	31.5	6.36	4.8	2.8	
ER20	> 2.5 ~ 13.0	20	21	17.4	31.5	6.36	4.8	2.8	
ER25	≥ 1.0 ~ 2.5	25	26	22.0	34.0	6.66	5.0	3.1	
ER25	> 2.5 ~ 16.0	25	26	22.0	34.0	6.66	5.0	3.1	
ER32	≥ 2.0 ~ 2.5	32	33	29.2	40.0	7.16	5.5	3.6	
ER32	> 2.5 ~ 20.0	32	33	29.2	40.0	7.16	5.5	3.6	
ER40	≥ 3.0 ~ 26.0	40	41	36.2	46.0	7.66	7.0	4.1	
ER50	≥ 6.0 ~ 10.0	50	52	46.0	60.0	12.6	8.5	5.5	
ER50	> 10.0 ~ 34.0	50	52	46.0	60.0	12.6	8.5	5.5	



дормици за CNC машини, балансиращи 6.5G, 15000 об./мин.

Цанги серия "ERG" за метчици


Тип	ER16G-d	ER20G-d	ER25G-d	ER32G-d	ER40-d	цена лв.
D	16	20	25	32	40	
L	27.5	31.5	34	40	46	
d	3.5 ~ 8	3.5 ~ 16	3.5 ~ 16	3.5 ~ 20	3.5 ~ 25	

dxa	3.5X2.7	4.0X3.0	4.5X3.4	5.5X4.3	6.0X4.9	7.0X5.5
	8.0X6.2	9.0X7.0	10X8.0	11X9.0	12X9.0	14X11
	16X12	18X14.5	20X16	22X18	25X20	




Капачка за цангови дорници

Тип	D mm	L mm	M	цена лв.
A	19	11.3	M14 x 0.75	
A	28	17.5	M22 x 1.5	
A	34	19	M25 x 1.5	
B	42	20	M32 x 1.5	
B	50	22.5	M40 x 1.5	
B	63	25.5	M50 x 1.5	
M	12	12	M10 x 0.75	
M	16	12	M13 x 0.75	
M	22	18	M19 x 1	
M	28	19	M24 x 1	
M	35	20	M30 x 1	
T1	19	11.3	M14 x 0.75	
T1	28	17.5	M22 x 1.5	
T1	34	19	M25 x 1.5	
T2	42	20	M32 x 1.5	
T2	50	22.5	M40 x 1.5	
T2	63	25.5	M50 x 1.5	



Ключ

B mm	L mm	Затягаща гайка	цена лв.
37	210	ER25-B ER25-T2	
45	250	ER32-B ER32-T2	
58	290	ER40-B ER40-T2	




Цанги серия "EOC"

Тип	D ₁ mm	D mm	d mm	L mm	L ₁ mm	L ₂ mm	L ₃ mm	цена лв.
EOC16B	25.5	22.65	2 ~ 16	40	5.5	1.2	9.5	
EOC20B	29.8	27.4	2 ~ 20	45	6	1.35	10	
EOC25B	35.05	32.9	2 ~ 25	52	6	1.4	10	
EOC32B	43.7	41.3	4 ~ 32	60	6	1.45	11	
EOC40B	52.2	49.7	6 ~ 40	68	6	1.45	12	
EOC50B	63.8	61.1	8 ~ 50	80	7	1.55	13	



Цанги за инструменти с вътрешно охлаждане "ERC"

Тип	D mm	L mm	d mm	цена лв.
ER11C-d	11.5	18	2 ~ 7	
ER16C-d	16.74	27.5	2 ~ 10	
ER20C-d	20.74	31.5	2 ~ 13	
ER25C-d	25.74	34	2 ~ 16	
ER32C-d	32.74	40	2 ~ 20	
ER40C-d	40.74	48	3 ~ 26	




Комплект цанги "ER" с дорник

Тип mm	Размер на отвора mm	Брой	Опашка	цена лв.
ER16-8	2 3 4 5 6 7 8 10	8	MS2, MS3, MS4, MS5, ISO30, ISO40, ISO50	
ER25-10	3 4 5 6 8 10 12 14 15 16	10		
ER32-12	3 4 5 6 8 10 12 14 15 16 18 20	12		
ER140-15	3 4 5 6 8 10 12 14 15 16 18 20 22 24 26	15		



Комплект цанги "J7325" с дорник

Тип	Брой	d mm	Опашка	цена лв.
40-J7325/15mm	15	3 4 5 6 8 10 12 14 15 16 18 20 22	ISO40	
50-J7325/15mm		24 25	ISO50	



Комплект цанги

Код	Размери	цена лв.
415E - S	2-3-4-5-6-7-8-9-10-11-12-13-14-15-16	
462E - S	4-5-6-7-8-9-10-11-12-14-16-18-20-22-25	
467E - S	5-6-7-8-10-12-14-16-18-20-22-24-25-28-30-32	
4008E - S	1-1.5-2-2.5-3-3.5-4-4.5-5-5.5-6-6.5-7	
426E - S	1-2-3-4-5-6-7-8-9-10	
428E - S	2-3-4-5-6-7-8-9-10-11-12-13	
430E - S	2-3-4-5-6-7-8-9-10-11-12-13-14-15-16	
470E - S	3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20	
472E - S	4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21- 22-23-24-25-26	



дорници за CNC машини, балансиращи 6.5G, 15000 об./мин.

Комплект цанги

Код	Размери	цена лв.
415EP - S	2-3-4-5-6-7-8-9-10-11-12-13-14-15-16	
462EP - S	4-5-6-7-8-9-10-11-12-14-16-18-20-22-25	
467EP - S	5-6-7-8-10-12-14-16-18-20-22-24-25-28-30-32	
4008EP - S	1-1.5-2-2.5-3-3.5-4-4.5-5-5.5-6-6.5-7	
426EP - S	1-2-3-4-5-6-7-8-9-10	
428EP - S	2-3-4-5-6-7-8-9-10-11-12-13	
430EP - S	2-3-4-5-6-7-8-9-10-11-12-13-14-15-16	
470EP - S	3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20	
472EP - S	4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26	



Комплект цанги за инструменти с вътрешно охлаждане

Код	Размери	цена лв.
426EA-S	3-4-5-6-7-8-9-10	
428EA-S	3-4-5-6-7-8-9-10-11-12-13	
430EA-S	3-4-5-6-7-8-9-10-11-12-13-14-15-16	
470EA-S	3-4-5-6-7-8-9-10-11-12-14-15-16-18-20	
472EA-S	4-5-6-7-8-9-10-11-12-14-16-18-20-22-24-26	



Комплект цанги

Код	Размери	цена лв.
426EH-S	3-4-5-6-7-8-9-10	
428EH-S	3-4-5-6-7-8-9-10-11-12-13	
430EH-S	3-4-5-6-7-8-9-10-11-12-13-14-15-16	
470EH-S	3-4-5-6-7-8-9-10-11-12-14-15-16-18-20	
472EH-S	4-5-6-7-8-9-10-11-12-14-16-18-20-22-24-26	



Комплект цанги с охлаждане

Код	Размери	цена лв.
426EC-S	3-4-5-6-7	
428EC-S	4-5-6-7-8-9	
430EC-S	3-4-5-6-7-8-9-10-11-12-13-14	
470EC-S	3-4-5-6-7-8-9-10-11-12-14-15-16-18-20	
472EC-S	4-5-6-7-8-9-10-11-12-14-16-18-20-22-24-26	



Комплект цанги

Код	Размери	цена лв.
426ECC-S	3-4-5-6-7	
428ECC-S	4-5-6-7-8-9	
430ECC-S	3-4-5-6-7-8-9-10-11-12-13-14	
470ECC-S	3-4-5-6-7-8-9-10-11-12-14-15-16-18-20	
472ECC-S	4-5-6-7-8-9-10-11-12-14-16-18-20-22-24-26	



Комплект цанги за метчици с квадрат

Код	Размери	цена лв.
426G-S	3.5×2.7 - 4×3 - 4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2	
428G-S	3.5×2.7 - 4×3 - 4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8	
430G-S	3.5×2.7 - 4×3 - 4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8 - 11×9 - 12×9	
470G-S	4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8 - 11×9 - 12×9 - 14×11 - 16×12	
472G-S	6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8 - 11×9 - 12×9 - 14×11 - 16×12 - 18×14.5 - 20×16	



Комплект цанги с охлаждане

Код	Размери	цена лв.
426GC-S	3.5×2.7 - 4×3 - 4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2	
428GC-S	3.5×2.7 - 4×3 - 4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8	
430GC-S	3.5×2.7 - 4×3 - 4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8 - 11×9 - 12×9	
470GC-S	4.5×3.4 - 6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8 - 11×9 - 12×9 - 14×11 - 16×12	
472GC-S	6×4.9 - 7×5.5 - 8×6.2 - 9×7 - 10×8 - 11×9 - 12×9 - 14×11 - 16×12 - 18×14.5 - 20×16	



дорници за CNC машини, балансирани 6.5G, 15000 об./мин.

